
			÷			
Form 3160-3 (September 2001)		ļ	OMB No.	APPROVED 1004-0136 nuary 31, 200		
UNITED STATES	TEDIOD		5. Lease Serial No.			
DEPARTMENT OF THE IN BUREAU OF LAND MANAG		UTU-649	17			
	ŀ	6. If Indian, Allottee		Vame		
APPLICATION FOR PERMIT TO DR	ILL OR REENTER	,	··· N/A			
Ia. Type of Work: I DRILL REENTER			7. If Unit or CA Agre	ement, Na	me and No.	
The system of th			N/A	· · · · · · · · · · · · · · · · · · ·		
1b. Type of Well: Oil Well Gas Well Other	Single Zone Multi	inle Zone	8. Lease Name and W			
2. Name of Operator	- mr 114411	-			المامينية المامين	
Newfield Production Company			API Well No.	947-3	39436	
	3b. Phone No. (include area code)		10. Field and Pool, or I	Exploratory	,	
Route #3 Box 3630, Myton UT 84052	(435) 646-3721	[Eight Mile Fla			
4. Location of Well (Report location clearly and in accordance with a	ny State requirements.*)		11. Sec., T., R., M., or	Blk. and S	urvey or Area	
At surface SE/NE 1981' FNL 658' FEL 5 93 050 X	40,018237		no en			
At proposed prod. zone 443014		15	SE/NE Sec. 20), T9S R1	8E	
14. Distance in miles and direction from nearest town or post office*	····		12. County or Parish		13. State	
Approximatley 20.5 miles southeast of Myton, Utah			Uintah		UT	
15. Distance from proposed* location to nearest	16. No. of Acres in lease	17. Spacing	ing Unit dedicated to this well			
property or lease line, ft.			, safety, .			
(Also to nearest drig. unit line, if any) Approx. 658' f/lse, NA' f/unit	320.00		40 Acres			
 Distance from proposed location* to nearest well, drilling, completed, 	19. Proposed Depth	20. BLM/B	IA Bond No. on file			
applied for, on this lease, ft. Approx. 1321'	5725'	U	TB000192			
21. Elevations (Show whether DF, KDB, RT, GL, etc.)	22. Approximate date work will sta	rt*	23. Estimated duration	1	************	
5103' GL	4th Quarter 2007		Approximately seven (7) days f	from spud to rig	release.	
	24. Attachments					
The following, completed in accordance with the requirements of Onshore	Oil and Gas Order No.1, shall be att	ached to this	form:			
Well plat certified by a registered surveyor.	A Rond to cover th	ne operations	s unless covered by an	avietina ha	and on file (see	
2. A Drilling Plan.	Item 20 above).	ic operations	diffess covered by an	cxisuing oc	and on the (see	
3. A Surface Use Plan (if the location is on National Forest System L	ands, the 5. Operator certific		mation and/or plans as	h		
SUPO shall be filed with the appropriate Forest Service Office).	authorized office		mation and/or plans as	may be i	equired by the	
25_Signature	Name (Printed/Typed)			Date		
I landia (soci	Mandie Crozier		1	6/26/07	7	
Title						
Regulatory Specialist	e e e e e e					
Approved by (Signatura)	Name (Printed/Typed)	,	1	Date		
Dronley All	BRADI FY G	HIII	<u></u>	07-0	13-07	
Title	OENVIRONMENTAL MA	NAGER				
				.1 11		
Application approval does not warrant or certify the the applicant holds leg operations thereon. Conditions of approval, if any, are attached.	al or equitable title to those rights in	the subject le	ase which would entitle	the applica	int to conduct	
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a States any false, fictitious or fraudulent statements or representations as to a	crime for any person knowingly and	d willfully to	make to any departmen	t or agency	y of the United	

*(Instructions on reverse)

RECEIVED JUN 2 9 2007

DIV. OF OIL, GAS & MINING

T9S, R18E, S.L.B.&M.




= SECTION CORNERS LOCATED

BASIS OF ELEV; U.S.G.S. 7-1/2 min QUAD (PARIETTE DRAW SW) FEDERAL 8-20-9-18 (Surface Location) NAD 83 LATITUDE = 40°01'05.58" LONGITUDE = 109°54'37.22"

NEWFIELD PRODUCTION COMPANY

WELL LOCATION, FEDERAL 8-20-9-18, LOCATED AS SHOWN IN THE SE 1/4 NE 1/4 OF SECTION 20, T9S, R18E, S.L.B.&M. UINTAH COUNTY, UTAH.





TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. - VERNAL, UTAH 84078 (435) 781-2501

DATE SURVEYED: 02-19-07	SURVEYED BY: C.M.
DATE DRAWN: 02-26-07	DRAWN BY: T.C.J.
REVISED:	SCALE: 1" = 1000'

NEWFIELD PRODUCTION COMPANY FEDERAL #8-20-9-18 SE/NE SECTION 20, T9S, R18E UINTAH COUNTY, UTAH

ONSHORE ORDER NO. 1

DRILLING PROGRAM

1. <u>GEOLOGIC SURFACE FORMATION:</u>

Uinta formation of Upper Eocene Age

2. ESTIMATED TOPS OF IMPORTANT GEOLOGIC MARKERS:

Uinta

0' - 1930'

Green River

1930'

Wasatch

5725'

3. ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS:

Green River Formation 1930' - 5725' - Oil

4. PROPOSED CASING PROGRAM

Please refer to the Monument Butte Field Standard Operation Procedure (SOP).

5. <u>MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL:</u>

Please refer to the Monument Butte Field SOP. See Exhibit "C".

6. TYPE AND CHARACTERISTICS OF THE PROPOSED CIRCULATION MUDS:

Please refer to the Monument Butte Field SOP.

7. AUXILIARY SAFETY EQUIPMENT TO BE USED:

Please refer to the Monument Butte Field SOP.

8. <u>TESTING, LOGGING AND CORING PROGRAMS:</u>

Please refer to the Monument Butte Field SOP.

9. ANTICIPATED ABNORMAL PRESSURE OR TEMPERATURE:

The anticipated maximum bottom hole pressure is 1800 psi. It is not anticipated that abnormal temperatures will be encountered.

10. <u>ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS:</u>

Please refer to the Monument Butte Field SOP.

NEWFIELD PRODUCTION COMPANY

FEDERAL #8-20-9-18 SE/NE SECTION 20, T9S, R18E UINTAH COUNTY, UTAH

ONSHORE ORDER NO. 1

MULTI-POINT SURFACE USE & OPERATIONS PLAN

1. EXISTING ROADS

See attached Topographic Map "A"

To reach Newfield Production Company well location site Federal #8-20-9-18 located in the SE 1/4 NE 1/4 Section 20, T9S, R18E, Uintah County, Utah:

Proceed southwesterly out of Myton, Utah along Highway 40 - 1.6 miles \pm to the junction of this highway and UT State Hwy 53; proceed southeasterly along Hwy 53 - 15.3 miles \pm to it's junction with an existing dirt road to the northeast; proceed northeasterly - 1.8 miles \pm to it's junction with an existing dirt road to the southeast; proceed southeasterly - 1.7 miles \pm to it's junction with the beginning of the proposed access road to the east; proceed easterly along the proposed access road - 680' \pm to the proposed well location.

2. PLANNED ACCESS ROAD

See Topographic Map "B" for the location of the proposed access road.

3. LOCATION OF EXISTING WELLS

Refer to Exhibit "B".

4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES

All permanent surface equipment will be painted Carlsbad Canyon.

Please refer to the Monument Butte Field Standard Operating Procedure (SOP).

5. LOCATION AND TYPE OF WATER SUPPLY

Newfield Production will transport water by truck for drilling purposes from the following water sources:

Johnson Water District Water Right: 43-10136

Neil Moon Pond

Water Right: 43-11787

Maurice Harvey Pond Water Right: 47-1358

Newfield Collector Well

Water Right: 41-3530 (A30414DV, contracted with the Duchesne County Conservancy District).

Please refer to the Monument Butte Field SOP. See Exhibit "A".

6. SOURCE OF CONSTRUCTION MATERIALS

Please refer to the Monument Butte Field SOP.

7. METHODS FOR HANDLING WASTE DISPOSAL

Please refer to the Monument Butte Field SOP.

8. ANCILLARY FACILITIES

Please refer to the Monument Butte Field SOP.

9. WELL SITE LAYOUT

See attached Location Layout Diagram.

10. PLANS FOR RESTORATION OF SURFACE

Please refer to the Monument Butte Field SOP.

 SURFACE OWNERSHIP - Bureau Of Land Management (Proposed location and access roads leading to).

12. OTHER ADDITIONAL INFORMATION

The Archaeological Resource Survey and Paleontological Resource Survey for this area are attached. MOAC Report #03-155, 02/23/04. Paleontological Resource Survey prepared by, Wade E. Miller, 10/06/03. See attached report cover pages, Exhibit "D".

Newfield Production Company requests 680' of disturbed area be granted in Lease UTU-64917 to allow for construction of the planned access road. Refer to Topographic Map "B". For the planned access road a temporary width of 60' will be needed for construction purposes with a permanent width of 30' and a running surface of 18'. The construction phase of the planned access road will last approximately (5) days. The planned access road will be an 18' crown road (9' either side of the centerline) with drainage ditches along either side of the proposed road whether it is deemed necessary in order to handle any run-off from normal meteorological conditions that are prevalent to this area. The maximum grade will be less than 8%. There will be no culverts required along this access road. There will be barrow ditches and turnouts as needed along this road. There are no fences encountered along this proposed road. There will be no new gates or cattle guards required. All construction material for this access road will be borrowed material accumulated during construction of the access road.

Newfield Production Company requests a 560' ROW be granted in Lease UTU-39714 and 2,660' of disturbed area be granted in Lease UTU-64917 to allow for construction of the proposed surface gas lines. It is proposed that the ROW and disturbed area will temporarily be 50' wide to allow for construction of a 6" gas gathering line, and a 3" poly fuel gas line and 30' wide upon completion of the proposed gas lines. Both lines will tie in to the existing pipeline infrastructure. **Refer to Topographic Map "C."** For a ROW plan of development, please refer to the Monument Butte Field SOP.

Water Disposal

Immediately upon first production, all produced water will be confined to a steel storage tank. If the production water meets quality guidelines, it is transported to the Ashley, Monument Butte, Jonah, and Beluga water injection facilities by company or contract trucks. Subsequently, the produced water is injected into approved Class II wells to enhance Newfield's secondary recovery project.

Water not meeting quality criteria, is disposed at Newfield's Pariette #4 disposal well (Sec. 7, T9S R19E) or at State of Utah approved surface disposal facilities.

Threatened, Endangered, And Other Sensitive Species

Mountain Plover: If new construction or surface disturbing activities are scheduled to occur between May 1 and June 15, detailed surveys of the area within 0.5 mile of the proposed location and within 300 feet of proposed access routes must be conducted to detect the presence of mountain plovers. All surveys must be conducted in accordance with the survey protocols outlined in the most recent USFWS Survey Protocol. Surveys must be completed prior to initiating new construction or surface disturbing activities. No new construction or surface disturbing activities will be allowed between March 15 and August 15 within a 0.5 mile radius of any documented mountain plover nest site.

Burrowing Owl: Due to the proximity of the location to active prairie dog towns, there is the potential to encounter nesting burrowing owls between April 1 and August 15. If new construction or surface disturbing activities are schedulad between April 1 and August 15, pre-construction surveys will be conducted to detect the presence of nesting burrowing owls within 0.5 mile of any new construction or surface disturbing activity (see Vernal BLM Field Office Protocol). No new construction or surface disturbing activities will be allowed between April 1 and August 15 within a 0.5 mile radius of any active burrowing owl nest.

Reserve Pit Liner

A 16 mil liner with felt is required. Please refer to the Monument Butte Field SOP.

Location and Reserve Pit Reclamation

Please refer to the Monument Butte Field SOP.

The following seed mixture will be used on the topsoil stockpile, to the recontoured surface of the reserve pit, and for final reclamation: (All poundages are in pure live seed)

Shadscale

Atriplex Confertifolia

6 lbs/acre

Galletta Grass

Hilaria Jamesii

6 lbs/acre

Details of the On-Site Inspection

The proposed Federal #8-20-9-18 was on-sited on 6/13/07. The following were present; Dave Allred (Newfield Production), Chuck MacDonald (Bureau of Land Management), and Brandon McDonald (Bureau of Land Management). Weather conditions were clear and ground cover was 100% open.

13. LESSEE'S OR OPERATORS REPRESENTATIVE AND CERTIFICATION

Representative

Name:

Dave Allred

Address:

Route #3 Box 3630

Myton, UT 84052

Telephone:


(435) 646-3721

Certification

Please be advised that NEWFIELD PRODUCTION COMPANY is considered to be the operator of well #8-20-9-18 SE/NE Section 20, Township 9S, Range 18E: Lease UTU-64917 Uintah County, Utah: and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond coverage is provided by US Specialty Insurance #B001832.


I hereby certify that the proposed drill site and access route have been inspected, and I am familiar with the conditions which currently exist; that the statements made in this plan are true


ubcontractors	in conformit	y with this	plan and the terms	Company and its contractors and and conditions under which it is 8 U.S.C. 1001 for the filing of a false
tatement.			4	
	6/26/07			1/ wante cros
	Date			Mandie Crozier
				Regulatory Specialist
· in		*		Newfield Production Company
	:			





NEW FIELD PRODUCTION COMPANY

CROSS SECTIONS FEDERAL 8-20-9-18









STA. 0+00

	nk or swel		RK QUANT ents have be c Yards)	
ITEM	CUT	FILL	6" TOPSOIL	EXCESS
PAD	1,060	1,060	Topsoil is not included	0
PIT	640	0	in Pad Cut	640


NOTE: UNLESS OTHERWISE NOTED ALL CUT/FILL SLOPES ARE

AT 1.5:1			TOTALS	1,700	1,060	960
SURVEYED BY: C.M.	SCALE:	1" = 50'		i , Stc		7
DRAWN BY: T.C.J.	DATE:	02-26-07	$\angle Lan$		rveying	

(435) 781-2501 nc.IAL, UTAH 84078

640

NEWFYELD PRODUCTION COMPANY TYPICAL RIG LAYOUT FEDERAL 8-20-9-18



DRAWN BY:


Newfield Production Company Proposed Site Facility Diagram


Federal 8-20-9-18


SE/NE Sec. 20, T9S, R18E


Uintah County, Utah

UTU-64917










	16	0	"	12	*	1	•	0	11	ı,	7			70	11		2	,	•	ı N	Newfield Wells - Location - Surface Soud	
e	**	,	14	13	18		14S-R2V	200	14	13	18	17	" T4S-	R1W	34	1	3	18.	17:	18	Producing Oil We Producing Gas W	ell
1	22	T45-	R3W	24	12	20	21	12	23 24	554 154 1634 534	19	20	21	22	23 11-38			1 0 5	T45	-R1E	Water Injection W Dry Hole Temporarily Abar Plugged & Aband Shut In	Well Indone
	27	,	28	25	30	21 29	Pensein 22 Henry	n the sh	Monagen Buttr	200	T8S	D17E	21 621 /22 2 621 621 6221	23 242 243 243 243 243 2	nin in	26 20 1 24 2 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	•	20	29	20 E	Water Source We Water Disposal W Injection Stations	Vell
	34	/	29 29	30 TRS	29 S-R16E	3 7000 1600 1600 1600	27 1/2	sendania da la sin la la da la sin da la sin la			(m in las la 30 sis sis in in	Carta baga ca Ca ca g ca ca g	(a 100/10/10/10/10/10/10/10/10/10/10/10/10/	(m vin / 101 (m vin / 20 (m vin / 21 (m vin / 21 (m vin /	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		30	8S-R18	2) E 13a	,,	24, 342 15-21 15-2	35
S	R3\	_/		West Persi	Visite plane and the fee when the par- ter regular than the	2 2 23 23 23 (2) 2 2 23 23 23 (2)	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	den for en	25 53 50 CH S	to the same of the	131 132 132 133 131 132 132 133 131 13-12 133	632 633 633 6	100 500 150 150 150 150 150 150 150 150	154 (54 154 154 154 154	Se son	to be for the thought by	เร็ก เร็ก หรือเร็ก เร็ก " เซ็ก เร็ก	**************************************		254 24 254	Parame 41-340 1-362-36 3-36 4	16 16 16 16 16 16 16 16 16 16 16 16 16 1
	10	\$2 \$2 \$42 \$2 \$16.2 \$16.2	2 4 6 4 6 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6	la de la sien de de la sien de la sien	Lev 15a 2500 2 4 10 10 10 10 10 10 10 10 10 10 10 10 10	1 40 1 40 (1	is so (s	\$ \$2 \$5 \$60 \$60 \$60 \$60 \$60 \$60 \$60 \$60 \$60 \$60	63 63 63 63 63 63 63 63 63 63 63 63 63 6	1 20 ha	1.0 (2 2.0 7.1 1.0 (2 2.0 7.1 1.0 (2 2.0 1.0 1.0 (2 2.0 1.0	10 140 10 140 10 140 10 140		6. 40 162 16. 50 162 16. 50 162	18-38 Post of 12 Post of 12 Post of 12 Post of 12	1 160 ag an	5 fe 24 Te 14 te 24	nés sá lá lá da slada da	3 24 45 4 4 5 14 18	4 /9	A på	*
	10 10 10 10 10 10 10 10 10 10 10 10 10 1	41 44 Km	6 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	4 4 4	tia ztar	solio de silos de sil	M . / .	112 . 1	26	C. C. C. C.	13 June 25 11	10 10 10 10 10 10 10 10 10 10 10 10 10 1	5-10 5-11 5-10 5-11 5-10 5-10 12-11	10.11 8.11 8.1	1, 20 20 1, 10 2 20 10 10 22 12 10 10 10 10	មាម្រង់ ១ ខ្ ១ ខ្ ១ ខ្	da da 4 , A da	e T'47	10 do	du "	1
13	/15 mm	694 254 254 254 254 254 254 1154	1-14 adi 5-15 3-15 1-14 adi 5-15 adi 5-15 1-14 12-15 adi 13-15 1-14 12-15 adi 13-15 1-14 12-15 adi 13-15	1.75 21.75V 1.75 1.73	200 600 200 600 200 200 30	16 454	1 2 1 3 1 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	ระไท ระไท อนาร์น รณชน อนาร์น รณชน	Tachy sti i	1.11.	· / no /	de de la	the site of the si	64 u	1. 21. 1.1. 1. 51. 51.	ಾ	24 24 24 24 24	21/2 21/2 21/3 21/2 21/2 21/2	18	1-10 2-10	5 14	
132		422 243 243 432 433	1.52 1.54 1.54 1.54 1.54 1.52 1.53 1.54 1.52 TSS-R	19	† 01/200 20 2/20	»4m / S-R16E	1 ² 22 22	0.80	4	15-1	261 230		G +32 S22	5 21 21 E		14-13 18-13 (6-13)	21-18Y	24 22 Joy	21 T	9\$-R1		
2		зŤ	25	36	я	28	27	28 134	27-58Y 28	20	n ^t a 29	20	27		26	25	55s	1/20 20 1/20	28	27	7 26	Ī
34		38	3ê	31	22	п	34	25	26	31	E	33	34		36	***	21	22	39		EWFIELD CKY MOUNTAINS	Ť
)(S-R	15E,	*			4	2	T10S-R	1	,T1	05-R17	Æ .	3		,	ĝ	T10	S-R18E	1	Design Flace Stating Co. 1 No. Street Ballon 122 on 1 No. Street Ballon 122 on 1 No. Contract Ballon 12	Exhibit A	



2-M SYSTEM

Blowout Prevention Equipment Systems




EXHIBIT C

Exhibit "D"

CULTURAL RESOURCE INVENTORY OF INLAND RESOURCES BLOCK SURVEY ON EIGHTMILE FLAT TOWNSHIP 9 SOUTH, RANGE 18 EAST, SECTIONS 17, 20, 21 IN UINTAH COUNTY, UTAH

by

Amanda Wilson and Keith R. Montgomery

Prepared For:

Bureau of Land Management Vernal Field Office

Prepared Under Contract With:

Inland Production Route 3 Box 3630 Myton, Utah 84052

Prepared By:

Montgomery Archaeological Consultants P.O. Box 147 Moab, Utah 84532

MOAC Report No. 03-155

February 23, 2004

United States Department of Interior (FLPMA)
Permit No. 03-UT-60122

State of Utah Antiquities Project (Survey) Permit No. U-04-MQ-800b

INLAND RESOURCES, INC.

PALEONTOLOGICAL FIELD SURVEY OF PROPOSEI PRODUCTION DEVELOPMENT AREAS, UNITAH COUNTY, UTAH

(Sections 9, 14, 15, 17, 21, 23 and north half section 20, Township 9 South, Range 18 East)

REPORT OF SURVEY

Prepared for:

Inland Resources, Inc.

Prepared by:

Wade E. Miller Consulting Paleontologist October 6, 2003

WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 06/29/2007	API NO. ASSIGNED: 43-047-39426
WELL NAME: FEDERAL 8-20-9-18 OPERATOR: NEWFIELD PRODUCTION (N2695) CONTACT: MANDIE CROZIER	PHONE NUMBER: 435-646-3721
PROPOSED LOCATION:	INSPECT LOCATN BY: / /
SENE 20 090S 180E SURFACE: 1981 FNL 0658 FEL	Tech Review Initials Date
BOTTOM: 1981 FNL 0658 FEL	Engineering
COUNTY: UINTAH	Geology
LATITUDE: 40.01824 LONGITUDE: -109.9097 UTM SURF EASTINGS: 593050 NORTHINGS: 4430141	Surface
FIELD NAME: 8 MILE FLAT NORTH (590) LEASE TYPE: 1 - Federal LEASE NUMBER: UTU-64917 SURFACE OWNER: 1 - Federal	PROPOSED FORMATION: GRRV COALBED METHANE WELL? NO
Plat Bond: Fed[1] Ind[] Sta[] Fee[] (No. UTB000192)	R649-2-3. it: R649-3-2. General Siting: 460 From Qtr/Qtr & 920' Between Wells R649-3-3. Exception Drilling Unit Board Cause No: Eff Date: Siting: R649-3-11. Directional Drill
STIPULATIONS: 1- Feder Oppring 2 Spacing This	

									1		
٠	FEDERAL 8-13-9-17	FEDERAL 5-18-9-18	FEDERAL 6-18-9-18	FEDERAL 7-18-9-18	FEDER AL 8-18-9-18	FEDERAL 5-17-9-18	FEDERAL 6-17-9-18	FEDERAL 7-17-9-18 \$	FEDERAL 8-17-9-18 ★	STATE 5-16-9-18	•
*	FEDERAL 9-13-9-17 •	FEDERAL 12-18-9-18	FEDERAL II-18-9-18	FEDERAL 80-18-9-18	FEDERAL 9-18-9-18	FEDERAL 12-17-9-18	PARIETTE BENCH U 7	FEDERAL 10-17-9-18	FEDERAL 9-17-9-18 ♦	•	•
•	FEDERAL 16-13-9-17• T9S R17E	FEDERAL 13-18-9-18 TPS R18F	FEDERAL 14-18-9-18	FEDERAL 34-181 9 FEDERAL 15-18-9-18	FEDERAL 44-181 \$	FEDERAL 13-17-9-18	FEDERAL 14-17-9-18 ** CAUSE: 221	FEDERAL 15-17-9-18 •	FEDERAL 16-17-9-18	•	•
⊙	FEDERAL 1-24-9-17	FEDERAL 4-19-9-18 *	FEDERAL 3-19-9-18	BALCRON FED 31-19Y	BALCRON FED 41-19Y	BALCRON MON FED 11-20-9-18Y	FEDERAL 3-20-9-18 *	POMCO 12-20 \$			
•	FEDERAL 8-24-9-17	FEDER AL 5-19-9-18	FEDER AL 6-19-9-18	BALCRON FED 32-19Y	BALCRON FED 42-19Y	BALCRON FED 12-20Y	BALCRON MON FED 22-20-9-18Y	FEDER AL 7-20-9-18 (**) MON FED 32-20-9-18Y	FEDERAL 8-20-018		
•	FEDERAL 9-24-9-17	FEDERAL 12-19-9-18	FEDERAL 11-19-9-18	FEDERAL 10-19-9-18	MON FED 43-19-9-18Y	KIDD FED 20-12 ×	KIDD FED 20-11×	KIDD FED 20-10 ×			
•	FEDERAL 16-24-9-17 (*)	FEDERAL 13-19-9-18 *	FEDERAL 14-19-9-18	FEDERAL 15-19-9-18 (*)	FEDERAL 16-19-9-18		KIDD FED 20-14↑	ИТО КІОО 20-15 [×]	UTD KIDD 20-16 C (2) FEDERAL 1-20-9-18	MON FED 14-21-9-18Y	
•				O	K, CORRAL ED 1-30 +		FEDERAL 21-29 ×		FEDERAL 41-29 →	×	
			IGHT M IORTH I	ILE FLAT FIELD	,			FEDERAL 32-29 *			
			3	0			29				
							FEDERAL 23-29 ×			×	



SEC: 19,20 T.9S R. 18E

FIELD: EIGHT MILE FLAT NORTH (590)

COUNTY: UINTAH

SPACING: R649-3-2 / GENERAL SITING






PF OIL
PP GAS
PP GEOTHERML
PP OIL
SECONDARY
TERMINATED

PLUGGED & ABANDONED
PRODUCING GAS
PRODUCING OIL
SHITTIN GAS

SHUT-IN GAS
SHUT-IN OIL
TEMP. ABANDONED

O TEST WELL

MATER INJECTION
WATER SUPPLY
WATER DISPOSAL
DRILLING





PREPARED BY: DIANA MASON DATE: 2-JULY-2007



State of Utah DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil Gas and Mining

JOHN R. BAZA Division Director

July 3, 2007

Newfield Production Company Rt.#3, Box 3630 Myton, UT 84052

Re:

Federal 8-20-9-18 Well, 1981' FNL, 658' FEL, SE NE, Sec. 20, T. 9 South, R. 18 East,

Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-39426.

Sincerely,

Gil Hunt

Associate Director

Sight

pab Enclosures

cc:

Uintah County Assessor

Bureau of Land Management, Vernal Office



Operator:	Newfield Produ	ction Company	
Well Name & Number	Federal 8-20-9-	18	
API Number:	43-047-39426		
Lease:	UTU-64917		
Location: <u>SE NE</u>	Sec20_	T. 9 South	R. 18 East

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division with 24 hours of spudding the well.

• Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

• Contact Dustin Doucet at (801) 538-5281 office (801) 733-0983 home

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

- 4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.
- 5. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

RECEIVED VERNAL FIELD DEFICE

2807 JUN 29 PM 2: 03

Form 3160-3 (September 2001) UNITED STATES	DEPT OF THE INTER BUREAU OF LAND ME	OWB N	APPROVED b. 1004-0136 c. unuary 31, 2004		
DEPARTMENT OF THE IN		5. Lease Serial No.			
BUREAU OF LAND MANAG	EMENT	6. If Indian, Allotte			
APPLICATION FOR PERMIT TO DR	ILL OR REENTER	o. II midian, Anoth			
			reement, Name and No.		
1a. Type of Work: DRILL REENTER		N/A	•		
lb. Type of Well: ☐ Oil Well ☐ Gas Well ☐ Other	Single Zone Multip	8. Lease Name and le Zone Federal 8-2			
2. Name of Operator		9. API Well No.			
Newfield Production Company		43-041			
	3b. Phone No. (include area code)	10. Field and Pool, or			
Route #3 Box 3630, Myton UT 84052	(435) 646-3721	Eight Mile F			
4. Location of Well (Report location clearly and in accordance with a	ny State requirements.*)	11. Sec., T., R., M., o	r Blk. and Survey or Area		
At surface SE/NE 1981' FNL 658' FEL At proposed prod. zone		SE/NE Sec. 2	20, T9S R18E		
	 	12. County or Parish	13. State		
14. Distance in miles and direction from nearest town or post office*		Uintah	UT		
Approximatley 20.5 miles southeast of Myton, Utah	16 Nr. 64 m. : 1 m.				
15. Distance from proposed* location to nearest	16. No. of Acres in lease	17. Spacing Oint dedicated to this wen			
property or lease line, ft. (Also to nearest drig. unit line, if any) Approx. 658' t/lse, NA' t/unit	320.00	320.00 40 Acres			
18. Distance from proposed location*	19. Proposed Depth	20. BLM/BIA Bond No. on file			
to nearest well, drilling, completed, applied for, on this lease, ft. Approx. 1321	5725'	UТ ВОО 0192 WY R	UTB000192 WYB000493		
21. Elevations (Show whether DF, KDB, RT, GL, etc.)	22. Approximate date work will star	t* 23. Estimated durati	23. Estimated duration		
5103' GL	4th Quarter 2007	Approximately seven (7) day	rs from spud to rig release.		
	24. Attachments				
The following, completed in accordance with the requirements of Onshore	Oil and Gas Order No.1, shall be att	ached to this form:			
Well plat certified by a registered surveyor.	4. Bond to cover the Item 20 above).	e operations unless covered by a	n existing bond on file (see		
 A Drilling Plan. A Surface Use Plan (if the location is on National Forest System I 	ands the 5. Operator certifica				
SUPO shall be filed with the appropriate Forest Service Office).	6. Such other site	specific information and/or plans	as may be required by the		
		··			
25. Signature	Name (Printed/Typed)	•	Date		
1 / Manaye Croxin	Mandie Crozier		6/26/07		
Title Regulatory Specialist					
Approved by (Signature)	Name (Printed/Typed)		Date		
As Kennel	JERRY KENURKA	· · ·	2-14-2008		
Title Assistant Field Manager	Office VERNAL F.	IELD OFFICE			

Conditions of approval, if any, are attached.

Conditions of approval attached.

Conditions

Application approval does not warrant or certify the the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct

*(Instructions on reverse)

RECEIVED

FEB 2 5 2008

NOTICE OF APPROVAL

DIV. OF OIL, GAS & MINING



NOS 03/23/2007

07 PP 1663A



UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

VERNAL FIELD OFFICE **VERNAL, UT 84078**

(435) 781-4400



CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL

Company: Well No:

API No:

Newfield Production Company

Location: Lease No: SENE, Sec. 20, T9S, R18E

Federal 8-20-9-18

UTU-64917

43-047-39426

Agreement: N/A

Title	Name	Office Phone Number	Cell Phone Number
Petroleum Engineer:	Matt Baker	(435) 781-4490	(435) 828-4470
Petroleum Engineer:	Michael Lee	(435) 781-4432	(435) 828-7875
Petroleum Engineer:	James Ashley	(435) 781-4470	(435) 828-7874
Petroleum Engineer:	Ryan Angus	(435) 781-4430	(435) 828-7368
Supervisory Petroleum Technician:	Jamie Sparger	(435) 781-4502	(435) 828-3913
NRS/Enviro Scientist:		(435) 781-4475	(435) 828-4029
Supervisory NRS/Enviro Scientist:	Karl Wright	(435) 781-4484	(435) 828-7381
NRS/Enviro Scientist:	Holly Villa	(435) 781-4404	
NRS/Enviro Scientist:		(435) 781-4476	
NRS/Enviro Scientist:	Chuck Macdonaid	(435) 781-4441	(435) 828-7481
NRS/Enviro Scientist:		(435) 781-3400	(435) 828-3544
NRS/Enviro Scientist:	Michael Cutler	(435) 781-3401	(435) 828-3546
NRS/Enviro Scientist:	Anna Figueroa	(435) 781-3407	(435) 828-3548
NRS/Enviro Scientist:	Verlyn Pindell	(435) 781-3402	(435) 828-3547
NRS/Enviro Scientist:	Darren Williams	(435) 781-4447	
NRS/Enviro Scientist:	Nathan Packer	(435) 781-3405	(435) 828-3545

Fax: (435) 781-3420

A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR FIELD REPRESENTATIVE TO INSURE COMPLIANCE

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations. This permit is approved for a two (2) year period, or until lease expiration, whichever occurs first. An additional extension, up to two (2) years, may be applied for by sundry notice prior to expiration.

NOTIFICATION REQUIREMENTS

Location Construction (Notify Environmental Scientist)	-	Forty-Eight (48) hours prior to construction of location and access roads.
Location Completion (Notify Environmental Scientist)	-	Prior to moving on the drilling rig.
Spud Notice (Notify Petroleum Engineer)	-	Twenty-Four (24) hours prior to spudding the well.
Casing String & Cementing (Notify Supv. Petroleum Tech.)	-	Twenty-Four (24) hours prior to running casing and cementing all casing strings.
BOP & Related Equipment Tests (Notify Supv. Petroleum Tech.)	-	Twenty-Four (24) hours prior to initiating pressure tests.
First Production Notice (Notify Petroleum Engineer)		Within Five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days.

Page 2 of 7 Well: Federal 8-20-9-18

12/5/2007

SURFACE USE PROGRAM CONDITIONS OF APPROVAL (COAs)

- If there is an active Gilsonite mining operation within 2 miles of the well location, operator shall notify the Gilsonite operator at least 48 hours prior to any blasting during construction.
- If paleontological materials are uncovered during construction, the operator is to immediately stop work and contact the Authorized Officer (AO). A determination will be made by the AO as to what mitigation may be necessary for the discovered paleontologic material before construction can continue.

LEASE NOTICES AND STIPULATIONS

TIMING RESTRICTIONS:

- The proposed area contains Mountain Plover habitat. With this occurrence there will be a time restriction from May 15 – June 15.
- The proposed area contains Burrowing Owl habitat. With this occurrence there will be a time restriction from April 1 -August 31.

CONDITIONS OF APPROVAL

- All traffic related to this action will be restricted to approved routes. Cross-country vehicle travel will not be allowed.
- No vehicle travel, construction or routine maintenance activities shall be performed during
 periods when the soil is too wet to adequately support vehicles and/or construction equipment.
 If such equipment creates ruts in excess of three inches deep, the soil shall be deemed too wet
 to adequately support construction equipment.
- The access road will be crowned and ditched. Flat-bladed roads are not allowed.
- If additional erosion occurs during the life of this project, more culverts, low water crossings, berms, wing ditches or etc. will be needed to control the erosion.
- Low-water crossings will be appropriately constructed to avoid sedimentation of drainage ways and other water resources.
- Pipelines will be buried at all major drainage crossings.
- Prevent fill and stock piles from entering drainages.
- The reserve pit will be lined with a 16 ml or greater liner and felt prior to spudding.
- The liner is to be cut 5 feet below ground surface or at the level of the cuttings, whichever is deeper, and the excess liner material is to be disposed of at an authorized disposal site.

Page 3 of 7 Well: Federal 8-20-9-18

1/7/2008

 When the reserve pit contains fluids or toxic substances, the operator must ensure animals do not ingest or become entrapped in pit fluids.

- If Uinta Basin hookless cactus or other special status plants are found, construction will cease and the AO will be notified to determine the appropriate mitigation.
- The interim seed mix for this location shall be:

Shadscale (*Atriplex canescens*)
Galleta grass (*Hilaria jamesii*)

6 lbs/acre

6 lbs/acre

- All pounds are in pure live seed.
- Rates are set for drill seeding; double the rate if broadcasting.
- Reseeding may be required if initial seeding is not successful.
- The operator will be responsible for treatment and control of invasive and noxious weeds.
- The topsoil from the reserve pit shall be stripped and piled separately near the reserve pit. When the reserve pit is closed, it shall be recontoured and the topsoil respread, and the area shall be seeded in the same manner as the location topsoil.
- Once the location is plugged and abandoned, it shall be recontoured to natural topology, topsoil shall be respread, and the entire location shall be seeded with a seed mix recommended by the AO (preferably of native origin). Seed application will follow all guidelines in the interim seed mix bullet statement above. If reclamation seeding should take place using the broadcast method, the seed at a minimum will be walked into the soil with a dozer immediately after the seeding is completed.
- The authorized officer may prohibit surface disturbing activities during severe winter conditions
 to minimize watershed damage. This limitation does not apply to operation and maintenance of
 producing wells.
- The authorized officer may prohibit surface disturbing activities during wet or muddy conditions to minimize watershed damage. This limitation does not apply to operation and maintenance of producing wells.
- All well facilities not regulated by OSHA will be painted Carlsbad Canyon.
- All boulders with a length or diameter greater than 3 feet, that are found showing at the surface, will be stockpiled for use during final reclamation.
- All pipelines (surface and buried) will be laid within one 50' wide construction ROW, on the west side of the road, and will reduce down to a 30' wide permanent ROW on lease.

Page 4 of 7 Well: Federal 8-20-9-18

12/5/2007

DOWNHOLE PROGRAM CONDITIONS OF APPROVAL (COAs)

SITE SPECIFIC DOWNHOLE COAs:

None.

All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to. The following items are emphasized:

DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS

- The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.
- Blowout prevention equipment (BOPE) shall remain in use until the well is completed or abandoned. Closing unit controls shall remain unobstructed and readily accessible at all times. Choke manifolds shall be located outside of the rig substructure.
- All BOPE components shall be inspected daily and those inspections shall be recorded in the
 daily drilling report. Components shall be operated and tested as required by Onshore Oil &
 Gas Order No. 2 to insure good mechanical working order. All BOPE pressure tests shall be
 performed by a test pump with a chart recorder and <u>NOT</u> by the rig pumps. Test shall be
 reported in the driller's log.
- BOP drills shall be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.
- Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.
- No aggressive/fresh hard-banded drill pipe shall be used within casing.
- Cement baskets shall not be run on surface casing.
- The operator must report all shows of water or water-bearing sands to the BLM. If flowing water
 is encountered it must be sampled, analyzed, and a copy of the analyses submitted to the BLM
 Vernal Field Office.
- The operator must report encounters of all non oil & gas mineral resources (such as Gilsonite, tar sands, oil shale, trona, etc.) to the Vernal Field Office, in writing, within 5 working days of each encounter. Each report shall include the well name/number, well location, date and depth (from KB or GL) of encounter, vertical footage of the encounter and, the name of the person making the report (along with a telephone number) should the BLM need to obtain additional information.

Page 5 of 7 Well: Federal 8-20-9-18 12/5/2007

 A complete set of angular deviation and directional surveys of a directional well will be submitted to the Vernal BLM office engineer within 30 days of the completion of the well.

- While actively drilling, chronologic drilling progress reports shall be filed directly with the BLM,
 Vernal Field Office on a weekly basis in sundry, letter format or e-mail to the Petroleum Engineers until the well is completed.
- A cement bond log (CBL) will be run from the production casing shoe to the <u>top of cement</u> and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.
- Please submit an electronic copy of all other logs run on this well in LAS format to UT_VN_Welllogs@BLM.gov. This submission will supersede the requirement for submittal of paper logs to the BLM.
- There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. Any changes in operation must have prior approval from the BLM Vernal Field Office.

Page 6 of 7 Well: Federal 8-20-9-18 12/5/2007

OPERATING REQUIREMENT REMINDERS:

• All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well.

- In accordance with 43 CFR 3162.4-3, this well shall be reported on the "Monthly Report of Operations" (Oil and Gas Operations Report ((OGOR)) starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report shall be filed in duplicate, directly with the Minerals Management Service, P.O. Box 17110, Denver, Colorado 80217-0110, or call 1-800-525-7922 (303) 231-3650 for reporting information.
- Should the well be successfully completed for production, the BLM Vernal Field office must be
 notified when it is placed in a producing status. Such notification will be by written
 communication and must be received in this office by not later than the fifth business day
 following the date on which the well is placed on production. The notification shall provide, as a
 minimum, the following informational items:
 - o Operator name, address, and telephone number.
 - Well name and number.
 - Well location (¼¼, Sec., Twn, Rng, and P.M.).
 - Date well was placed in a producing status (date of first production for which royalty will be paid).
 - The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
 - The Federal or Indian lease prefix and number on which the well is located; otherwise the non-Federal or non-Indian land category, i.e., State or private.
 - Unit agreement and/or participating area name and number, if applicable.
 - o Communitization agreement number, if applicable.
- Any venting or flaring of gas shall be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from the BLM Vernal Field Office.
- All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL 3A will be reported to the BLM, Vernal Field Office. Major events, as defined in NTL3A, shall be reported verbally within 24 hours, followed by a written report within 15 days. "Other than Major Events" will be reported in writing within 15 days. "Minor Events" will be reported on the Monthly Report of Operations and Production.
- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (BLM Form 3160-4) shall be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs run, core descriptions, and all other surveys or

Page 7 of 7 Well: Federal 8-20-9-18 12/5/2007

data obtained and compiled during the drilling, workover, and/or completion operations, shall be filed on BLM Form 3160-4. Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs, core data, drill stem test data, and results of production tests if performed. Samples (cuttings, fluid, and/or gas) shall be submitted only when requested by the BLM, Vernal Field Office.

- All off-lease storage, off-lease measurement, or commingling on-lease or off-lease, shall have prior written approval from the BLM Vernal Field Office.
- Oil and gas meters shall be calibrated in place prior to any deliveries. The BLM Vernal Field Office Petroleum Engineers will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports shall be submitted to the BLM Vernal Field Office. All measurement facilities will conform to the API standards for liquid hydrocarbons and the AGA standards for natural gas measurement. All measurement points shall be identified as the point of sale or allocation for royalty purposes.
- A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted
 to the BLM Vernal Field Office within 30 days of installation or first production, whichever occurs
 first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be
 adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively
 sealed in accordance with Onshore Oil & Gas Order No. 3.
- Any additional construction, reconstruction, or alterations of facilities, including roads, gathering lines, batteries, etc., which will result in the disturbance of new ground, shall require the filing of a suitable plan and need prior approval of the BLM Vernal Field Office. Emergency approval may be obtained orally, but such approval does not waive the written report requirement.
- No location shall be constructed or moved, no well shall be plugged, and no drilling or workover
 equipment shall be removed from a well to be placed in a suspended status without prior
 approval of the BLM Vernal Field Office. If operations are to be suspended for more than 30
 days, prior approval of the BLM Vernal Field Office shall be obtained and notification given
 before resumption of operations.
- Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.
- Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in order that a representative may witness plugging operations. If a well is suspended or abandoned, all pits must be fenced immediately until they are backfilled. The "Subsequent Report of Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual plugging of the well bore, showing location of plugs, amount of cement in each, and amount of casing left in hole, and the current status of the surface restoration.

FORM 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM	1 A	PPR	OVI

Expires: March 31, 1993

5. Lease Designation and Serial No. SUNDRY NOTICES AND REPORTS ON WELLS UTU-64917 Do not use this form for proposals to drill or to deepen or reentry a different reservoir. 6. If Indian, Allottee or Tribe Name Use "APPLICATION FOR PERMIT -" for such proposals NA 7. If Unit or CA, Agreement Designation SUBMIT IN TRIPLICATE NA 1. Type of Well 8. Well Name and No. Gas Oil \mathbf{X} FEDERAL 8-20-9-18 9. API Well No. 43-047-39426 2. Name of Operator NEWFIELD PRODUCTION COMPANY 10. Field and Pool, or Exploratory Area **8 MILE FLAT** 3. Address and Telephone No Rt. 3 Box 3630, Myton Utah, 84052 435-646-3721 11. County or Parish, State 4. Location of Well (Footage, Sec., T., R., m., or Survey Description) UINTAH COUNTY, UT. SE/NE Section 20, T9S R18E 1981 FNL 658 FEL CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF ACTION TYPE OF SUBMISSION X Notice of Intent Change of Plans New Construction Recompletion Non-Routine Fracturing Subsequent Report Plugging Back Water Shut-Off Casing Repair Conversion to Injection Final Abandonment Notice Altering Casing **Permit Extension** Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* Newfield Production Company requests to extend the Permit to Drill this well for one year. The original approval date was 7/3/07. This APD is not yet due to expire with the BLM. Approved by the Utah Division of Oil. Gas and Mining COPY SENT TO OPERATOR Initials:

1					
14. I hereby certify that the forcesting if true and correct Signed Mandie Crozier	Title	Regulatory Specialist	Date	6/27/2008	_
CC: UTAH DOGM					_
(This space for Federal or State office use)					
Approved by	Title		Date		
Conditions of approval, if any:				CEI	d

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious

or fradulent statements or representations as to any matter within its jurisdiction.

CC: Utah DOGM

RECEIVED
JUL 0 1 2008

DIV. OF OIL, GAS & MINII

1846 (\$46)

Application for Permit to Drill Request for Permit Extension Validation

(this form should accompany the Sundry Notice requesting permit extension)

API: 43-047-39426 Well Name: Federal 8-20-9-18 Location: SE/NE Section 20,T9S R18E Company Permit Issued to: Newfield Production Company Date Original Permit Issued: 7/3/2007				
The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.				
Following is a checklist of some items related to the application, which should be verified.				
If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes□No□ 介Α				
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes□No☑				
Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes□No☑				
Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes ☐ No ☑				
Has the approved source of water for drilling changed? Yes□No☑				
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes□No☑				
Is bonding still in place, which covers this proposed well? Yes ☑ No ☐				
6/27/2008				
Signature Date				
Title: Regulatory Specialist				
Representing: Newfield Production Company				

	STATE OF UTAH		FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-64917	
	RY NOTICES AND REPORTS O		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	sals to drill new wells, significantly deepen ex ugged wells, or to drill horizontal laterals. Use		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: FEDERAL 8-20-9-18
2. NAME OF OPERATOR: NEWFIELD PRODUCTION COM	IPANY		9. API NUMBER: 43047394260000
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT, 84	4052 435 646-4825 Ext	PHONE NUMBER:	9. FIELD and POOL or WILDCAT: 8 MILE FLAT NORTH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1981 FNL 0658 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: SENE Section: 20	IP, RANGE, MERIDIAN: Township: 09.0S Range: 18.0E Meridian: S		STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
✓ NOTICE OF INTENT	☐ ACIDIZE ☐	ALTER CASING	☐ CASING REPAIR
Approximate date work will start: 7/7/2009	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
,,,,2005	☐ CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	L DEEPEN L	FRACTURE TREAT	☐ NEW CONSTRUCTION
	☐ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	PLUG AND ABANDON RECLAMATION OF WELL SITE	☐ PLUG BACK
SPUD REPORT Date of Spud:	☐ PRODUCTION START OR RESUME ☐ REPERFORATE CURRENT FORMATION ☐	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
Date of Spud.	U TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
Report Date:	WILDCAT WELL DETERMINATION	OTHER	OTHER:
12 DESCRIPE PROPOSED OR CO			'
	OMPLETED OPERATIONS. Clearly show all pertings to extend the Permit to Drill t		olumes, etc.
<u>'</u>		,	Approved by the
			Utah Division of Oil, Gas and Mining
			On, Gas and Mining
		D	ate: June 30, 2009
		_	. R. 10201100
		E	A: Dream Africa
NAME (PLEASE PRINT) Mandie Crozier	PHONE NUMBER 435 646-4825	TITLE Regulatory Tech	
SIGNATURE N/A		DATE 6/29/2009	



The Utah Division of Oil, Gas, and Mining

- State of UtahDepartment of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047394260000

API: 43047394260000 Well Name: FEDERAL 8-20-9-18

Location: 1981 FNL 0658 FEL QTR SENE SEC 20 TWNP 090S RNG 180E MER S

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

Date Original Permit Issued: 7/3/2007

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that requ

informat iire revi	tion as submitted in t sion. Following is a c	he previously approved application to drill, remains valid and does not necklist of some items related to the application, which should be verified.
	ated on private land, ed? 📵 Yes 🗍 No	nas the ownership changed, if so, has the surface agreement been
		in the vicinity of the proposed well which would affect the spacing or location? (Yes (No
	nere been any unit or s proposed well?	other agreements put in place that could affect the permitting or operation Yes 📵 No
	there been any chang the proposed locatio	es to the access route including ownership, or rightof- way, which could n? 📗 Yes 📵 No
• Has th	ne approved source o	water for drilling changed? 🥛 Yes 📵 No
		cal changes to the surface location or access route which will require a was discussed at the onsite evaluation? (Yes (No
• Is bor	nding still in place, w	Approved by the iich covers this proposed well? Yes No Utah Division of Oil, Gas and Mining
nature:	Mandie Crozier	Date: 6/29/2009
Title:	Regulatory Tech Repr	esenting: NEWFIELD PRODUCTION COMPANY Date: June 30, 2009

Sign

	STATE OF UTAH	_	FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-64917	
	RY NOTICES AND REPORTS		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	sals to drill new wells, significantly deepen ıgged wells, or to drill horizontal laterals. U		7.UNIT or CA AGREEMENT NAME: GMBU (GRRV)
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: FEDERAL 8-20-9-18
2. NAME OF OPERATOR: NEWFIELD PRODUCTION COM	PANY		9. API NUMBER: 43047394260000
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT, 84	435 646-4825 Ext	PHONE NUMBER:	9. FIELD and POOL or WILDCAT: 8 MILE FLAT NORTH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1981 FNL 0658 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: SENE Section: 20	IP, RANGE, MERIDIAN: Township: 09.0S Range: 18.0E Meridian: S	5	STATE: UTAH
11.	CK APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPORT	Γ, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start: 7/3/2010	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
	☐ CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
	☐ OPERATOR CHANGE ☐ PRODUCTION START OR RESUME	PLUG AND ABANDON RECLAMATION OF WELL SITE	 □ PLUG BACK □ RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
Date of Spau.	U TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT	water shutoff	SI TA STATUS EXTENSION	✓ APD EXTENSION
Report Date:	WILDCAT WELL DETERMINATION	OTHER	OTHER:
12 DESCRIBE BRODOSED OF CO	MPLETED OPERATIONS. Clearly show all per		
	to extend the aplication permi		
	year.		Approved by the
			Utah Division of Oil, Gas and Mining
			On, Gas and Mining
			Date: June 23, 2010
			- 2 nachtil
			BA: Doox (2)
NAME (PLEASE PRINT) Mandie Crozier	PHONE NUMBER 435 646-4825	TITLE Regulatory Tech	
SIGNATURE N/A		DATE 6/16/2010	



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047394260000

API: 43047394260000 **Well Name:** FEDERAL 8-20-9-18

Location: 1981 FNL 0658 FEL QTR SENE SEC 20 TWNP 090S RNG 180E MER S

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

Date Original Permit Issued: 7/3/2007

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

ire revision. Following is a checklist of some items related to the application, which should be verified.
 If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
• Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
 Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? Yes No
• Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes Oil, Gas and Mining

Signature: Mandie Crozier **Date:** 6/16/2010

Title: Regulatory Tech Representing: NEWFIELD PRODUCTION COMPANY Date: June 23, 2010

Bv:

	STATE OF UTAH	_	FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-64917	
	RY NOTICES AND REPORTS		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	sals to drill new wells, significantly deepen ıgged wells, or to drill horizontal laterals. U		7.UNIT or CA AGREEMENT NAME: GMBU (GRRV)
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: FEDERAL 8-20-9-18
2. NAME OF OPERATOR: NEWFIELD PRODUCTION COM	PANY		9. API NUMBER: 43047394260000
3. ADDRESS OF OPERATOR: Rt 3 Box 3630 , Myton, UT, 84	435 646-4825 Ext	PHONE NUMBER:	9. FIELD and POOL or WILDCAT: 8 MILE FLAT NORTH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1981 FNL 0658 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: SENE Section: 20	IP, RANGE, MERIDIAN: Township: 09.0S Range: 18.0E Meridian: S	5	STATE: UTAH
11.	CK APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPORT	Γ, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start: 7/3/2010	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
	☐ CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
	☐ OPERATOR CHANGE ☐ PRODUCTION START OR RESUME	PLUG AND ABANDON RECLAMATION OF WELL SITE	 □ PLUG BACK □ RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
Date of Spau.	U TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT	water shutoff	SI TA STATUS EXTENSION	✓ APD EXTENSION
Report Date:	WILDCAT WELL DETERMINATION	OTHER	OTHER:
12 DESCRIBE PROPOSED OF CO	MPLETED OPERATIONS. Clearly show all per		
	to extend the aplication permi		
	year.		Approved by the
			Utah Division of Oil, Gas and Mining
			On, Gas and Mining
			Date: June 23, 2010
			- 2 nachtil
			BA: Doox (2)
NAME (PLEASE PRINT) Mandie Crozier	PHONE NUMBER 435 646-4825	TITLE Regulatory Tech	
SIGNATURE N/A		DATE 6/16/2010	



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047394260000

API: 43047394260000 **Well Name:** FEDERAL 8-20-9-18

Location: 1981 FNL 0658 FEL QTR SENE SEC 20 TWNP 090S RNG 180E MER S

Company Permit Issued to: NEWFIELD PRODUCTION COMPANY

Date Original Permit Issued: 7/3/2007


The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

ire revision. Following is a checklist of some items related to the application, which should be verified.
 If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
• Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
 Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? Yes No
• Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes Oil, Gas and Mining

Signature: Mandie Crozier **Date:** 6/16/2010

Title: Regulatory Tech Representing: NEWFIELD PRODUCTION COMPANY Date: June 23, 2010

Bv:



Lieutenant Governor

State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

August 30, 2010

Mandie Crozier Newfield Production Company Rt 3 Box 3630 Myton, Utah 84052 43 047 39426 Federal 8-20-9-18 95 18E 20

Re: APDs Rescinded for Newfield Production Company, Uintah County

Dear Ms. Crozier:

Enclosed find the list of APDs that are being rescinded per your request to Newfield Production Company. No drilling activity at these locations has been reported to the division. Therefore, approval to drill these wells is hereby rescinded, effective August 25, 2010.

A new APD must be filed with this office for approval <u>prior</u> to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely,

Diana Mason

Environmental Scientist

iane Il lason

cc: Well File

Bureau of Land Management, Vernal



NEWFIELD - APD'S

EIS expiration date: 8/24/10

	Name	API Number
	Federal 10-28-8-18	43-047-40165
: [Federal 5-12-9-18	43-047-36466
	Federal 7-12-9-18	43-047-36467
. [Federal 11-13-9-18	43-047-36545
. [Federal 13-13-9-18	43-047-36546
	Federal 4-14-9-18	43-047-34944
	Federal 1-15-9-18	43-047-36325
	Federal 13-15-9-18	43-047-36329
	Federal 15-15-9-18	43-047-36330
) [Federal 1-20-9-18	43-047-39423
	Federal 8-20-9-18	43-047-39426
2	Federal 1-28-9-18	43-047-39629
3	Federal 3-28-9-18	43-047-39671
.	Federal 6-28-9-18	43-047-39627
,	Federal 7-28-9-18	43-047-39626
, [Federal 8-28-9-18	43-047-39625
, [Federal 9-28-9-18	43-047-40037
; [Federal 10-28-9-18	43-047-40036
, [Federal 11-28-9-18	43-047-40035
, [Federal 12-28-9-18	43-047-40034
Ī	Federal 13-28-9-18	43-047-40087
ا !	Federal 14-28-9-18	43-047-40095
,	Federal 15-28-9-18	43-047-40086
.	Federal 16-28-9-18	43-047-40085
, l	Federal 9-29-9-18	43-047-40094
	Federal 11-29-9-18	43-047-40092
	Federal 12-29-9-18	43-047-40091
	Federal 13-29-9-18	43-047-40096
۲	Federal 14-29-9-18	43-047-40090
. F	Federal 15-29-9-18	43-047-40089
- 1	Federal 16-29-9-18	43-047-40088
F	Federal 3-33-9-18	43-047-38350

FORM 3160-5 (August 2007)

Subsequent Report

Final Abandonment

FORM APPROVED OMB No. 1004-0137 Expires: July 31,2010

BUREAU OF LAND MANAGEMENT	5.	Τ,	-20
	٦.	ы	Jas
SUNDRY NOTICES AND REPORTS ON WELLS	,	17	7¥ T

Casing Repair

Change Plans

Convert to Injector

Dease Serial	110.		
<u>UTU-64917</u>			

X Other

Do not use this form for proposals to drill of to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.			6. If Indian, Allottee or Tribe Name.		
SUBMIT IN	TRIPLICATE - Ot	her Instructions on page 2	7. If Unit or CA/Agreement, Name and/or GMBU		
Type of Well Gas Well Name of Operator NEWFIELD PRODUCTION CO	Other		8. Well Name and No. FEDERAL 8-20-9-18		
Ba. Address Route 3 Box 3630 Myton, UT 84052 Location of Well (Footage, Sec., T., R., M., or Survey Descript 1981' FNL 658' FEL		3b. Phone (include are code) 435.646.3721 Description)	9. API Well No. 4304739426 10. Field and Pool, or Exploratory Area MONUMENT BUTTE 11. County or Parish, State		
SENE Section 20 T9S R18E			UINTAH, UT		
12. CHECI	APPROPRIATE BO	OX(ES) TO INIDICATE NATURE OF	NOTICE, OR OTHER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION				
Notice of Intent	Acidize Alter Casing		ction (Start/Resume)		

New Construction

Plug & Abandon

13. Describe Proposed or Completed Operation: (Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing the speen completed.

Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final interval.

Plug Back

Newfield Production Company requests to extend the approval to Permit to Drill this well for one more year.

Permit Extension

RECEIVED

Recomplete

Water Disposal

Temporarily Abandon

APR 0 1 2010

DIV. OF OIL, GAS & MINING

CONDITIONS OF APPROVAL ATTACHED

I hereby certify that the foregoing is true and correct (Printed/Typed)	Title			
Mandie Crozier	Regula	tory Specialist		
Signature	Date			
Mandio Corson	02/02/2	010		
THIS SPACE FOR FEE	ERAL C	OR STATE OFFICE USE		
Approved by	Peti	oleum Engineer Date	MAR	2 201 0
Conditions of approval, if any, are mached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office		
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any p	erson knowin	igly and willfully to make to any department or agency	of the United	1

States any false, fictitious and fraudulent statements or representations as to any matter within its jurisdiction

(Instructions on page 2)



CONDITIONS OF APPROVAL

Newfield Production Company

Notice of Intent APD Extension

Lease:

UTU-64917

Well:

Federal 8-20-9-18

Location:

SENE Sec 20-T9S-R18E

An extension for the referenced APD is granted with the following conditions:

- 1. The extension and APD shall expire on 8/24/2010.
- 2. Since the APD was approved under a Categorical Exclusion and the referenced NEPA will expire 8/24/2010, if the well has not been spud by that date this APD will expire and the operator is to cease all operations related to the preparation to drill the well.

If you have any other questions concerning this matter, please contact Ryan Angus of this office at (435) 781-4430

RECEIVED


APR 0 1 2010



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Green River District Vernal Field Office 170 South 500 East Vernal, UT 84078



DEC 12, 2013



43 047 39426

Mandie Crozier
Newfield Production Company
Route 3, Box 3630
Myton, UT 84052

Re:

Notice of Expiration

Well No. Federal 8-20-9-18 SENE, Sec. 20, T9S, R18E Uintah County, Utah Lease No. UTU-64917 Greater Monument Butte Unit RECEIVED

JAN 17 2014

DIV. OF OIL, GAS & MINING

Dear Ms. Crozier:

The Application for Permit to Drill (APD) for the above-referenced well was approved on February 14, 2008. A two (2) year extension of the original APD was requested. The request was reviewed and the extension approved until August 24, 2010 due to the NEPA. According to our records, no known activity has transpired at the approved location. In view of the foregoing, this office is notifying you that the approval of the referenced application has expired. If you intend to drill at this location in the future, a new Application for Permit to Drill must be submitted.

This office requires a letter confirming that no surface disturbance has been made for this drill site. Any surface disturbance associated with the approved location of this well is to be rehabilitated. A schedule for this rehabilitation must be submitted to this office. Your cooperation in this matter is appreciated.

If you have any questions regarding this matter, please contact Robin R. Hansen at (435) 781-3428.

Sincerely,

/s/ Jerry Kenczka

Jerry Kenczka Assistant Field Manager Lands & Mineral Resources

CC:

UDOGM

bcc:

Well File

I&E Asst.